

مقادیر برش پلاستیک قوطی مربع سرد تولید شده

	T	M _{pl}	W _{pl}	I _T	C _t
	mm	kNm	cm ³	cm ⁴	cm ³

20	2	0.21	0.88	1.21	1.06
30	2	0.53	2.21	4.54	2.75
40	2	0.99	4.13	11.3	5.23
40	3	1.37	5.72	15.8	7.07
40	4	1.68	7.01	19.4	8.48
50	2	1.60	6.66	22.6	8.51
50	3	2.25	9.39	32.1	11.8
50	4	2.81	11.7	40.4	14.4
50	5	3.29	13.7	47.5	16.6
60	2	2.35	9.79	39.8	12.6
60	3	3.36	14.0	57.1	17.7
60	4	4.22	17.6	72.6	22.0
60	5	5.02	20.9	86.4	25.6
70	3	4.66	19.4	92.4	24.7
70	4	5.95	24.8	119	31.1
70	5	7.10	29.6	142	36.7
80	3	6.19	25.8	140	33.0
80	4	7.94	33.1	180	41.8
80	5	9.53	39.7	218	49.7
80	6.3	11.1	46.1	261	57.9
90	3	7.92	33.0	201	42.5
90	4	10.2	42.6	261	54.2
90	5	12.3	51.4	316	64.7
90	6.3	14.5	60.3	382	76.2
100	4	12.8	53.3	362	68.1
100	5	15.5	64.6	441	81.7
100	6.3	18.3	76.4	536	97.0
120	4	18.8	78.3	637	101
120	5	22.9	95.4	778	122
120	6.3	27.4	114	955	146
120	8	33.1	138	1163	175
140	4	25.9	108	1023	140
140	5	31.7	132	1256	170
140	6.3	38.4	160	1550	205
140	8	46.6	194	1901	248
140	10	55.2	230	2274	291

	T	M _{pl}	W _{pl}	I _T	C _t
	mm	kNm	cm ³	cm ⁴	cm ³

150	5	36.7	153	1554	197
150	6.3	44.4	185	1922	239
150	8	54.2	226	2364	289
150	10	64.6	269	2839	341
160	4	34.3	143	1541	185
160	5	42.0	175	1896	225
160	6.3	51.1	213	2349	275
160	8	62.4	260	2897	334
160	10	74.6	311	3490	395
180	6.3	65.5	273	3383	354
180	8	80.6	336	4189	432
180	10	97.0	404	5074	515
180	12.5	112	467	6050	600
200	6.3	81.8	341	4682	444
200	8	101	421	5815	544
200	10	122	508	7072	651
200	12.5	143	594	8502	765
220	8	124	516	7815	668
220	10	150	625	9533	804
220	12.5	176	735	11530	951
250	6.3	131	544	9290	711
250	8	162	676	11598	878
250	10	197	822	14197	1062
250	12.5	234	975	17283	1266
260	8	176	734	13087	955
260	10	215	894	16035	1156
260	12.5	255	1063	19553	1381
300	6.3	191	795	16218	1042
300	8	238	991	20312	1293
300	10	291	1211	24966	1572
300	12.5	348	1451	30601	1892
350	8	328	1366	32557	1787
350	10	402	1675	40127	2182
350	12.5	485	2020	49393	2642
400	10	531	2214	60431	2892
400	12.5	544	2683	74598	3518

