

مقادیر برش پلاستیک قوطی مربع گرم تولید شده

	T	M _{pl}	W _{pl}	I _T	C _t
	mm	kNm	cm ³	cm ⁴	cm ³
40	3	1.43	5.97	15.7	7.1
40	4	1.79	7.44	19.5	8.54
50	3	2.33	9.7	32.1	11.8
50	4	2.95	12.3	40.4	14.5
60	3	3.43	14.3	56.9	17.7
60	4	4.39	18.3	72.5	22
60	5	5.26	21.9	86.4	25.7
70	3	4.78	19.9	92.2	24.8
70	4	6.12	25.5	118	31.2
70	5	7.39	30.8	142	36.8
80	4	8.16	34	180	41.9
80	5	9.86	41.1	217	49.8
80	6.3	11.9	49.7	262	58.7
90	4	10.5	43.6	260	54.2
90	5	12.7	53	316	64.8
90	6.3	15.4	64.3	382	77
100	4	13.1	54.4	361	68.2
100	5	15.9	66.4	439	81.8
100	6.3	19.4	80.9	534	97.8
120	5	23.4	97.6	777	122
120	6.3	28.8	120	950	147
120	8	35	146	1160	176
120	10	42	175	1382	206
140	5	32.4	135	1253	170
140	6.3	39.8	166	1540	206
140	8	49	204	1892	249
140	10	59	246	2272	294
150	5	37.4	156	1550	197
150	6.3	46.1	192	1909	240
150	8	56.9	237	2351	291
150	10	68.6	286	2832	344
160	6.3	52.8	220	2233	275
160	8	65.3	272	2880	335

	T	M _{pl}	W _{pl}	I _T	C _t
	mm	kNm	cm ³	cm ⁴	cm ³
160	10	79	329	3478	398
160	12.5	97.8	395	4158	467
180	6.3	57.4	281	3361	355
180	8	83.8	349	4162	434
180	10	102	424	5048	518
180	12.5	123	511	6070	613
200	6.3	84	350	4653	444
200	8	105	436	5778	545
200	10	127	531	7031	655
200	12.5	154	643	8491	778
220	6.3	102	427	6240	544
220	8	128	522	7765	669
220	10	156	650	9473	807
220	12.5	189	789	11481	693
250	6.3	133	556	9238	712
250	8	167	694	11525	880
250	10	204	851	14106	1065
250	16	307	1280	21138	1546
260	8	181	753	13006	956
260	10	222	924	15932	1159
260	12.5	270	1127	19409	1394
260	16	335	1394	23942	1689
300	8	243	1013	20194	1294
300	10	299	1246	24807	1575
300	12.5	366	1525	30333	1904
300	16	455	1895	37622	2325
350	8	334	1392	32384	1789
350	10	412	1715	39886	2185
350	12.5	506	2107	48934	2654
350	16	631	2630	60990	3264
400	10	542	2260	60092	2895
400	12.5	668	2782	73906	3530
400	16	836	3484	92442	4362

